Brunswick®

PBA PROFESSIONAL BOWLERS ASSOCIATION. Official Lane Maintenance and Capital Equipment Provider

DIRECT+ Conditioning System

[ ] ENVOY

[X] AUTHORITY22®

Select Machine

Pattern Information

Date	21-22 февраля
Pattern Type	Competitive
Pattern Difficulty	Medium
Pattern Designer	BRUNSWICK
Pattern Volume (ml)	12.86

Surface Information

Surface Type	
Surface Brand	
Age	

Pattern Parameters

Pattern Number	1
Pattern Name	ЧУ 2018-2019 5 этап
Mode	Clean & Oil
Forward Speed	Max Clean
Start Cleaner Spray	0
Start Squeegee	0
Start Oiling	6
Split Pattern	No

Supplies Information

Lane Cleaner		
Cleaner Mixture Ratio	: 1	
Cleaner Transition Distance	43	Authority22
Cleaner Spray End Distance	53	Envoy
Lane Conditioner		

Notes Beaten Path

Zone	1	2	3	4	5	6	7	8
Zone End Distance	8	16	25	31	42			
Zone Ratio L	5.0 : 1	5.3 : 1	5.1 : 1	3.5 : 1	### : 1	### : 1	### : 1	### : 1
Zone Ratio R	5.0 : 1	5.3 : 1	5.1 : 1	3.5 : 1	### : 1	### : 1	### : 1	### : 1
Zone Volume (ml)	4.62	3.72	3.22	1.30	0.00	0.00	0.00	0.00

| ZONE | 7 Pin Side | | |

Brunswick® DIRECT+ Conditioning System ENVOY AUTHORITY22®

ЧУ 2018-2019 5 этап

Crosswise Ratios (by units)

	Zone 1	Average	Ratio
3L-7L	Left =	12.0	5.0
3R-7R	Right=	12.0	5.0
18L-18R	Center =	60.0	

	Zone 2	Average	Ratio
3L-7L	Left =	9.0	5.3
3R-7R	Right=	9.0	5.3
18L-18R	Center=	48.0	

	Zone 3	Average	Ratio
3L-7L	Left =	7.0	5.1
3R-7R	Right=	7.0	5.1
18L-18R	Center=	36.0	

	Zone 4	Average	Ratio
3L-7L	Left =	6.0	3.5
3R-7R	Right=	6.0	3.5
18L-18R	Center =	21.0	

	Zone 5	Average	Ratio
3L-7L	Left =	0.0	#DIV/0!
3R-7R	Right=	0.0	#DIV/0!
18L-18R	Center=	0.0	

	Zone 6	Average	Ratio
3L-7L	Left =	#DIV/0!	#DIV/0!
3R-7R	Right=	#DIV/0!	#DIV/0!
18L-18R	Center=	#DIV/0!	

	Zone 7	Average	Ratio
3L-7L	Left =	#DIV/0!	#DIV/0!
3R-7R	Right=	#DIV/0!	#DIV/0!
18L-18R	Center =	#DIV/0!	

	Zone 8	Average	Ratio
3L-7L	Left =	#DIV/0!	#DIV/0!
3R-7R	Right=	#DIV/0!	#DIV/0!
18L-18R	Center=	#DIV/0!	

Crosswise Ratios (by ml)

	Zone 1	Average	Ratio
3L-7L	Left =	0.040	5.0
3R-7R	Right=	0.040	5.0
18L-18R	Center =	0.201	

	Zone 2	Average	Ratio
3L-7L	Left =	0.030	5.3
3R-7R	Right=	0.030	5.3
18L-18R	Center=	0.161	

	Zone 3	Average	Ratio
3L-7L	Left =	0.026	5.1
3R-7R	Right=	0.026	5.1
18L-18R	Center=	0.136	

	Zone 4	Average	Ratio
3L-7L	Left =	0.015	3.5
3R-7R	Right=	0.015	3.5
18L-18R	Center =	0.053	

	Zone 5	Average	Ratio
3L-7L	Left =	0.000	#DIV/0!
3R-7R	Right=	0.000	#DIV/0!
18L-18R	Center=	0.000	

	Zone 6	Average	Ratio
3L-7L	Left =	0.000	#DIV/0!
3R-7R	Right=	0.000	#DIV/0!
18L-18R	Center=	0.000	

	Zone 7	Average	Ratio
3L-7L	Left =	0.000	#DIV/0!
3R-7R	Right=	0.000	#DIV/0!
18L-18R	Center =	0.000	

	Zone 8	Average	Ratio
3L-7L	Left =	0.000	#DIV/0!
3R-7R	Right=	0.000	#DIV/0!
18L-18R	Center=	0.000	

The crosswise ratios are calculated by the average units of oil for boards 18L - 18R and divided by the average units of oil for board 3 - 7 left and right.



3L-7L:18L-18R	Ratio by Total Volume	18L-18R:7R-3R
4.92	1	4.92

Brunswick®

DIRECT+ Conditioning System

ENVOY AUTHORITY22®

Lengthwise Ratio By Area

	3L-7L	18L-18R	3R-7R
	Left	Center	Right
Zone 2	1.3	1.2	1.3
Zone 3	1.7	1.6	1.7
Zone 4	2.0	2.8	2.0
Zone 5	#DIV/0!	#DIV/0!	#DIV/0!
Zone 6	#DIV/0!	#DIV/0!	#DIV/0!
Zone 7	#DIV/0!	#DIV/0!	#DIV/0!
Zone 8	#DIV/0!	#DIV/0!	#DIV/0!

-У 2018-2019 5 этаг

Lengthwise Ratio By Board (units & ml)

	7 Pin Side																																									
	Board Number																																									
Zone	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14	L15	L16	L17	L18	L19	C20	R19	R18	R17	R16	R15	R14	R13	R12	R11	R10	R9	R8	R7	R6	R5	R4	R3	R2	R1
2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.3	1.1	1.1	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.1	1.1	1.3	1.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3
3	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.5	1.4	1.4	1.2	1.6	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.2	1.4	1.4	1.5	1.7	1.7	1.7	1.7	1.7	1.7	1.7
4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.3	2.2	2.7	2.5	3.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	3.0	2.5	2.7	2.2	2.3	2.0	2.0	2.0	2.0	2.0	2.0	2.0
5	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###
6	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###
7	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###
8	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###	###

The lengthwise ratios are calculated from the volumes in the first zone.